



ITEM # 12 - New standard equipped 2007 Model 17,500 GVWR Chassis-Cabs with DRW.

ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 with 165" Wheelbase Cab to Axle 84" (17,500 GVWR)

Chevrolet 4500 Series Model With 152" Wheelbase CC4C042 Cab to Axle 84" WB (17,500GVWR)

All units bid must contain the following options:

1. Standard, diesel engine
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirror
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR. 17,500 LB
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

OPTIONAL EQUIPMENT PRICES, Item # 12

Option 12A. Mounted 12' platform body meeting Specification E1320.

Option 12B. Mounted 11' platform dump body meeting Specification E1327.

Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.

Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).

Option 12E. Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 6132D54J, Reading CLASSIC II 132A DW, Omaha 132D54V, Stahl CHALLENGER II 132 VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

Option 12F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of three shelves and dividers in one of the full height vertical compartments.

Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.

Option 12H. One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).

Option 12I. Minimum 25" high panel extension cover with minimum 42" locking rear doors Which will provide a minimum 48" interior height for storage and work area.



OPTIONAL EQUIPMENT ITEM # 12 – Continued

- Option 12J.** Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.
- Option 12K.** Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
- Option 12L.** One - double bottle gas drop well with minimum 55" clearance height (for large bottle use) and retainers in lieu of the interior 48" full height vertical compartment.
- Option 12M.** Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission.
- Option 12N.** Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for 7 pin commercial truck connector.
- Option 12O.** Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
- Option 12P.** Alternate diesel engine.
- Option 12Q.** Standard gasoline engine in lieu of diesel engine.
- Option 12R.** Alternate gasoline engine in lieu of diesel engine.
- Option 12S.** Automatic transmission power take-off provision.
- Option 12T.** Allison automatic transmission.
- Option 12U.** Snowplow package.
- Option 12V.** 2 Factory cab steps. (one on Drivers Side, one on Passenger side)
- Option 12W.** Four wheel drive.
- Option 12X.** 19,000 GVWR Package in lieu of the 17,500 GVWR.
- Option 12Y.** Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
- Option 12Z.** Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
- Option 12AA.** Provide hydraulics and controls for dump hoist only



Missouri Department of Transportation
Tabulation of Request 3-060810 2007 Light Duty Automotive
This is a Multiple Award For 3/4 Ton and above Trucks

Item 12 - One Ton 17,500 GVWR Chassis Cabs with DRW/LWB												
ARO	60 days	180-300 days	180 days	NB	NB	120 days	NB					
Base Unit	08-\$31,450.00	08-\$30,775.00	07-\$31,719.00			07-\$32,892.00	NB					
Option 12A	\$2,485.00	\$2,485.00	\$2,485.00			\$3,249.00						
Option 12B	\$3,999.00	\$3,999.00	\$3,999.00			\$4,625.00						
Option 12C	\$4,267.00	\$4,267.00	\$3,998.00			\$3,135.00						
Option 12D	\$603.00	\$603.00	\$712.00			\$295.00						
Option 12E	\$4,873.00	\$4,873.00	\$4,994.00			\$5,000.00						
Option 12F	\$1,389.00	\$1,389.00	\$1,389.00			\$1,000.00						
Option 12G	\$502.00	\$502.00	\$502.00			\$450.00						
Option 12H	\$895.00	\$895.00	\$895.00			\$1,985.00						
Option 12I	\$3,064.00	\$3,064.00	\$3,064.00			\$2,600.00						
Option 12J	\$2,209.00	\$2,209.00	\$2,209.00			\$1,300.00						
Option 12K	\$898.00	\$898.00	\$898.00			\$800.00						
Option 12L	\$1,072.00	\$1,072.00	\$1,072.00			\$345.00						
Option 12M	-\$1,295.00	-\$1,192.00	NA			NA						
Option 12N	\$341.00	\$341.00	\$341.00			\$400.00						
Option 12O	\$0.00	\$544.00	\$422.00			\$250.00						
Option 12P	NB	NA	NA			\$350.00						
Option 12Q	-\$5,525.00	-\$5,710.00	-\$6,324.00			-\$6,600.00						
Option 12R	NB	NA	NA			NA						
Option 12S	\$210.00	\$208.00	\$190.00			\$200.00						
Option 12T	NB	NA	INC			INC						
Option 12U	\$0.00	\$85.00	\$971.00			\$750.00						
Option 12V	\$295.00	\$264.00	INC			INC						
Option 12W	\$3,495.00	\$3,547.00	\$7,430.00			\$6,000.00						
Option 12X	\$350.00	\$365.00	\$2,277.00			\$3,500.00						
Option 12Y	NB	NA	NA			NA						
Option 12Z	\$2,120.00	\$2,120.00	\$2,120.00			\$5,000.00						
Option 12AA	\$650.00	\$650.00	\$650.00			\$700.00						
Total												

INC = Standard or No Charge
 N/A = Not Available